

## Test Report

Number: SZHH01719457

Applicant: SUMMIT POINT, LLC  
334 RAILROAD AVE EPHRATA PA 17522, USA

Date: Aug 12, 2022

Attn: Jeff Myer

### Sample Description:

Two (2) pieces of submitted sample said to be:

Item Name : **Opti-Go**  
Model No. : **HY6301 Opti-Go Thyme Green  
#002 Cup holder  
#007 Universal adaptor**  
Factory : Shen Zhen AOK Tooling Co. Ltd  
Sample Received Date : Jul 29, 2022  
Date of Testing Ended : Aug 12, 2022

### Tests conducted:

As requested by the applicant, refer to attached page(s) for details.

### Conclusion:

**PASS**  
 **FAIL**  
 **For Information Only**

Tested by : Eileen Jin  
Hardlines



Reviewed by : William Lee  
Hardlines



**Test Report**

Number: SZHH01719457

Tests Conducted

JPMA- CERTIFICATION PROGRAM – Version 21							
Manufacturer:		Summit Point, LLC		Test Date:		Jul 29, 2022 to Aug 12, 2022	
Address:		334 Railroad Ave Ephrata PA 17522		Model Number:		HY6301 Opti-Go Thyme Green #002 Cup Holder #007 Universal Adaptor	
City/St/Zip:		PA 17522		Product Name:		Opti-Go	
Date of Manufacture:		2022-07		Turn Around Time:		7	
Factory Name:		Shen Zhen AOK Tooling Co. Ltd		Factory Address:		No.8 of Long Tian No. 3 road Long Tian community, Keng Zi office, Ping Shan New District	
<input type="checkbox"/>	Basic Model	<input checked="" type="checkbox"/>	Initial Qualification/Pre Market	<input checked="" type="checkbox"/>	Modification	<input type="checkbox"/>	Production
<input type="checkbox"/>	1st Quarter	<input type="checkbox"/>	2nd Quarter	<input type="checkbox"/>	3rd Quarter	<input type="checkbox"/>	4th Quarter

Evaluation	Citation	Attribute	Result
<b>JPMA Protocols</b>			
1.	CA Prop 65	California proposition 65	P (See remark 1)
2.	FCC part 15	Electronic products	NA
3.	IABFLO	Law label	P
<b>Labeling</b>			
4.	19 CFR 134	Country of origin	P
5.	Title 17, CA Code of Regulations, Section 93120.7(d) Fabricator Label Requirements	CARB formaldehyde document and label review	NA
6.	CPSIA section 103(a)	Tracking labels for children's products	P
7.	16 CFR 1130	Registration card for durable nursery product	P
8.	ASTM F963	Labeling Review – Battery Operated Product	NA
9.	16 CFR 1505	Electrically Operated Toys	NA
10.	ASTM F2088	Transformer NRTL or equivalent Labeling	NA
11.	ASTM F963	Toys Labeling Review – magnets	NA
12.	16 CFR 423	Care Label	MCD
13.	California, New York, Chicago, Massachusetts, Virginia and Rhode Island State and City Laws CA Code	Plastic sheet / bag requirement	NA



**Test Report**

Number: SZHH01719457

Tests Conducted

Evaluation	Citation	Attribute	Result
	22200-22202, RI Code 11-9-16		
14.	--	Instruction Review	P
15.	--	UPC #, Item number or style number	See test data
16.	40 CFR 770.45	Labeling of Compostive Wood Product - Formaldehyde Emission (EPA)	NA
17.	F.P. and L. Act (16 CFR 500) OR NIST Uniform Laws and Regulations Handbook 130	US Packaging Labeling	P
<b>Analytical</b>			
18.	FDA FSSE 21 CFR 175-177	Food Contact Materials	NA
19.	16 CFR 1500.231	Hazardous Liquids	NA
20.	16 CFR 1500.3(c)(6)(iii) 16CFR 1500.43(a)	Flash point of combustibile liquid	NA
21.	CPSIA Section108* / 16 CFR 1307 / CA Prop 65 / CPSC-CH-C1001-09.3 (Mod) / CPSD-AN-00095-MTHD / CPSD-AN-00143-MTHD / 16 CFR 1308	Phthalate contents – 8	NA
22.	ASTM F963	Soluble heavy metal contents in surface coatings	P (See remark 2)
23.	ASTM F963	Soluble heavy metal contents in substrate materials	P (See test data & remark 2)
24.	CPSIA Section 101 / 16 CFR 1252 / CPSC-CHE1001-08.3 / CPSC-CH-E1002- 08.3	Total lead content in substrate materials	P (See test data & remark 2)
25.	16 CFR 1303	Total lead content in surface coatings	P (See remark 2)
26.	Mercury-Containing and Rechargeable Battery Mgmt Act U.S. Pub. L. 104-142	Total mercury content in batteries and button cell batteries	NA
27.	40 CFR 770.10 / 40 CCFR 770.17 / 40 CFR 770.18	Formaldehyde Emission of Composite Wood Product (EPA)	NA
<b>Hazard</b>			
28.	ASTM F833-21/16 CFR 1227	Juvenile Products	P (See remark 2)
29.	ASTM F963	Juvenile Products - Battery Operated	NA
30.	ASTM F963	Toy Accessories	NA
31.	16 CFR 1505	Electrically operated products - document review	NA
32.	ASTM F2088	Electrical Testing	NA
33.	Toxics in packaging act	Toxics in packaging (TPCH)	P



**Test Report**

Number: SZHH01719457

Tests Conducted

Evaluation	Citation	Attribute	Result
			(See remark 1)
34.	ASTM F963	Mechanical hazards - magnets	NA
35.	- -	Mercury - Total Content	NA
36.	Illinois Lead Poisoning Prevention Act	Illinois lead content	NA
37.	16 CFR 1501	Small part	P
38.	16 CFR 1500.48	Sharp points	P
39.	16 CFR 1500.49	Sharp edges	P
<b>Flammability</b>			
40.	California flammability regulations title 4 chapter 3	California technical bulletin 116 flammability	NA
41.	16 CFR 1500.44	Flammability of solids	P
42.	16 CFR 1640	Upholstered furniture flammability labeling	NA
<b>Physical Characteristics</b>			
43.	AATCC 20A	Fiber analysis: quantitative	MCD
44.	- -	Overall dimensions and weight	See test data
45.	NY, MD, WA, VT, HI, ME, OR, RI and CA	Flame Retardants	P (See remark 1)
46.	NY Albany County Local Law No. 1 for 2015 and NY Suffolk County Local Law No. 26 of 2017	The Toxic Free Toys Act	P (See remark 2)

Abbreviation : P = Pass;  
MCD = Manufacturer Conformity Declaration;

N/A = Not Applicable;  
NR = Not Requested by the Applicant;

N/T= Not Tested;  
NES = Not Enough Sample



## Test Report

Number: SZHH01719457

Tests Conducted

### Remarks

- The following document was submitted by the applicant for review for the compliance of the master protocol. No actual test was conducted in this report.
  - C.O.C. of toxic in packaging
  - C.O.C. of Flame Retardant
  - C.O.C. of CA prop 65 COC settlement agreement (RG-667688 stroller) of flame retardant.
- The following test reports were submitted by the applicant for review for the compliance of the master protocol. The soluble heavy metal content in substrate, total lead content in substrate, Migratable heavy metals (Suffolk County) tests were just conducted on the components not listed in the submitted reports.

Requirements	Report Number	Date	Testing Lab	Result
Soluble heavy metal contents in surface coatings	SZHH01703084	Aug 09, 2022	Intertek	Pass
Soluble heavy metal contents in substrate materials	SZHH01703084	Aug 09, 2022	Intertek	Pass
Total lead content in substrate materials	SZHH01703084	Aug 09, 2022	Intertek	Pass
Total lead content in surface coatings	SZHH01703084	Aug 09, 2022	Intertek	Pass
Migratable heavy metals (Suffolk County)	SZHH01703084	Aug 09, 2022	Intertek	Pass

Test Item	Report Number	Report Date	Issued By	Result
ASTM F833-21	SZHH01703084	Aug 09, 2022	Intertek	Pass
16 CFR 1227	SZHH01703084	Aug 09, 2022	Intertek	Pass

- For the applicable combination units sections of the ASTM F833-19 & 16 CFR 1227 standards, the Opti-Go chassis was tested with the Nuna-Pipa & Maxi-cosi-Mico car seats attachment. As per the client's requirements, the relevant chemical tests per ASTM F833-19 & 16 CFR 1227 and the full tests per ASTM F2050-19 & 16 CFR 1225 were not assessed for the Nuna-Pipa & Maix-cosi-Mico car seats in test report.

### Test Data

#### 1 Overall dimensions and weight

Item	Dimensions ( L x W x H) (inch)	Weight (lbs)
HY6301 Opti-Go Thyme Green	35 x 21-1/2 x 42	21.1

#### 2 UPC Number

Item	UPC
HY6301 Opti-Go Thyme Green	850041406084



**Test Report**

Number: SZHH01719457

Tests Conducted

3 Heavy Elements Analysis (except modelling clay) (U.S. ASTM F963-17)

As per Section 4.3.5 and Section 8.3.2 to 8.3.5 of the ASTM Standard Consumer Safety Specification on Toy Safety F963-17, heavy elements migration content were determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (ppm)		Reporting limit (ppm)	Limit (ppm)
	Tested component			
	(1)			
Sol. Barium (Ba)	ND		5	1000
Sol. Lead (Pb)	ND		5	90
Sol. Cadmium (Cd)	ND		5	75
Sol. Antimony (Sb)	ND		5	60
Sol. Selenium (Se)	ND		5	500
Sol. Chromium (Cr)	ND		5	60
Sol. Mercury (Hg)	ND		5	60
Sol. Arsenic (As)	ND		2.5	25

Sol. = Soluble  
ppm = part per million = mg/kg  
ND = Not detected

Tested Components: See component list in the last section of this report

4 Total Lead (Pb) Content in Non-Surface Coating Materials (Substrate) (U.S. CPSIA Section 101)

As per Standard Operating Procedures for Determining total Lead (Pb) in children's products, test methods CPSC-CH-E1002-08.3 and/or CPSC-CH-E1001-08.3 were used and total Lead content was determined by Inductively Coupled Argon Plasma Spectrometry.

Element	Result (ppm)		Reporting Limit (ppm)	Limit (ppm)
	Tested Component			
	(1)			
Lead (Pb)	ND		10	100

The above limit was quoted according to U.S. Consumer Product Safety Improvement Act 2008 Title I, Section 101 for total Lead content in Non-surface coating materials.

ppm = parts per million = mg/kg  
ND = Not detected (less than reporting limit)

Tested components: See component list in the last section of this report



## Test Report

Number: SZHH01719457

### Tests Conducted

#### 5 Heavy Metal Content

Acid digestion and extraction methods were used and heavy metal content was determined by Inductively Coupled Argon Plasma Spectrometry.

Soluble Heavy metal

Element	Result (ppm) $\theta$	Reporting Limit (ppm)	Limit (ppm)
	Tested Component		
	(2),(3)		
Sol. Cadmium (Cd)	ND	5	75
Sol. Antimony (Sb)	ND	5	60
Sol. Mercury (Hg)	ND	5	60
Sol. Arsenic (As)	ND	2.5	25

Sol. = Soluble

ppm = parts per million = mg/kg

$\theta$  = Single result for each test component/group

Tested component(s): See component list in the last section of this report

Component list:

- (1) Green plastic (zipper teeth of canopy).
- (2) Green fabric (canopy, cushion, seat pad, shoulder pad).
- (3) Green woven (zipper tape of canopy).



**Test Report**

Number: SZHH01719457

Tests Conducted

**Sample Photos**






**Test Report**

Number: SZHH01719457

Tests Conducted



\*\*\*\*\*

End of report

The statements of conformity reported have considered the decision rule agreed, namely that Intertek have taken account of measurement uncertainty as calculated by Intertek, and applied according to ILAC-G8/09:2019 (Non-binary acceptance based on guard band  $w = U$ ) except designation from the customer, regulation or test specification. This decision rule only applies to the numeric test results.

The sample(s) and sample information hereto are provided by the client who shall be solely responsible for the authenticity and integrity thereof. The results shown in this report relate only to the sample(s) received and tested. It is not intended to be a recommendation for any particular course of action. Intertek does not accept a duty of care or any other responsibility to any person other than the Client in respect of this report and only accepts liability to the Client insofar as is expressly contained in the terms and conditions governing Intertek's provision of services to you. Intertek makes no warranties or representations either express or implied with respect to this report save as provided for in those terms and conditions. We have aimed to conduct the review on a diligent and careful basis and we do not accept any liability to you for any loss arising out of or in connection with this report, in contract, tort, by statute or otherwise, except in the event of our gross negligence or wilful misconduct. This report shall not be reproduced unless with prior written approval from Intertek.

